

Inhoudsopgave

Lasbochten	2
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH	2
Ndl. stalen lasbocht 3S-90° -EN10253-1	3
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH	5
Dikwandige lasbochten 3S 90° -EN 10253-1	6
Naadloze stalen lasbocht 3S-180° -EN10253-1	8
Naadloze stalen lasbocht 5S-90° -EN10253-1	9
Naadloze stalen lasbocht 5S-180° -EN10253-1	10

Lasbochten

Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 33.7x2.6	0,06	8,89
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 42.4x2.6	0,10	11,12
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 48.3x2.6	0,13	8,44
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 60.3x2.9	0,25	15,30
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 76.1x2.9	0,39	24,45
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 88.9x3.2	0,61	40,46
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 114.3x3.6	1,18	72,49
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 133x4	1,81	*
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 139.7x4	2,00	135,59
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 168.3x4.5	3,27	185,39
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 193.7x5.6	5,50	*
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 219.1x6.3	7,90	357,84
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 273x6.3	12,40	512,04
Ndl. stalen lasbocht 3S 45° -EN 10253-1 - P235GH 323.9x7.1	19,90	757,21

Lasbochten

Ndl. stalen lasbocht 3S-90° -EN10253-1

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. stalen lasbocht 3S-90° -EN10253-1 21.3x2 (S235)	0,04	6,87
Ndl. stalen lasbocht 3S-90° -EN10253-1 25x2	0,05	6,13
Ndl. stalen lasbocht 3S-90° -EN10253-1 26.9x2.3	0,06	4,94
Naadloze stalen lasbocht 3S-90° -EN10253-1 30x2.6 (gelast)	0,09	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 31.8x2.6	0,11	12,10
Ndl. stalen lasbocht 3S-90° -EN10253-1 33.7x2.6	0,12	6,59
Ndl. stalen lasbocht 3S-90° -EN10253-1 38x2.6	0,16	13,76
Ndl. stalen lasbocht 3S-90° -EN10253-1 42.4x2.6	0,19	8,24
Ndl. stalen lasbocht 3S-90° -EN10253-1 44.5x2.6	0,22	17,69
Ndl. stalen lasbocht 3S-90° -EN10253-1 48.3x2.6	0,26	8,80
Ndl. stalen lasbocht 3S-90° -EN10253-1 51x2.6 (gelast)	0,31	13,47
Ndl. stalen lasbocht 3S-90° -EN10253-1 57x2.9	0,44	16,67
Ndl. stalen lasbocht 3S-90° -EN10253-1 60.3x2.9	0,49	15,30
Ndl. stalen lasbocht 3S-90° -EN10253-1 63.5x2.9	0,56	32,71
Ndl. stalen lasbocht 3S-90° -EN10253-1 70x2.9 (gelast)	0,70	37,94
Ndl. stalen lasbocht 3S-90° -EN10253-1 76.1x2.9	0,78	25,48
Ndl. stalen lasbocht 3S-90° -EN10253-1 82.5x3.2	1,06	54,81
Ndl. stalen lasbocht 3S-90° -EN10253-1 88.9x3.2	1,21	34,19
Ndl. stalen lasbocht 3S-90° -EN10253-1 101.6x3.6	1,83	59,22
Ndl. stalen lasbocht 3S-90° -EN10253-1 108x3.6	2,08	59,92
Ndl. stalen lasbocht 3S-90° -EN10253-1 114.3x3.6	2,35	61,76
Ndl. stalen lasbocht 3S-90° -EN10253-1 121x4	3,08	245,52
Ndl. stalen lasbocht 3S-90° -EN10253-1 127x4	3,34	278,52
Ndl. stalen lasbocht 3S-90° -EN10253-1 133x4	3,62	103,57
Ndl. stalen lasbocht 3S-90° -EN10253-1 139.7x4	4,00	106,76
Ndl. stalen lasbocht 3S-90° -EN10253-1 152.4x4.5	5,54	245,98
Ndl. stalen lasbocht 3S-90° -EN10253-1 159x4.5	5,82	164,79
Ndl. stalen lasbocht 3S-90° -EN10253-1 168.3x4.5	6,54	158,46
Ndl. stalen lasbocht 3S-90° -EN10253-1 177.8x5	8,60	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 193.7x5.6	11,00	376,48
Ndl. stalen lasbocht 3S-90° -EN10253-1 219.1x6.3	15,80	388,96
Ndl. stalen lasbocht 3S-90° -EN10253-1 244.5x6.3	19,80	1.083,77
Ndl. stalen lasbocht 3S-90° -EN10253-1 267x6.3	24,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 273x6.3	24,80	665,00
Ndl. stalen lasbocht 3S-90° -EN10253-1 323.9x7.1	39,80	1.009,62

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. stalen lasbocht 3S-90° -EN10253-1 355.6x8	57,40	1.818,41
Ndl. stalen lasbocht 3S-90° -EN10253-1 406.4x8.8	82,70	2.653,59
Ndl. stalen lasbocht 3S-90° -EN10253-1 419x10	133,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 457x10	142,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 508x11	161,00	5.307,11

Lasbochten

Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Naadloze Stalen Lasbocht 3S-90° -EN 10253-1 21.3x2 *** P235GH ***	0,04	*
Ndl.ST. LASBOCHT 3S-90° -EN10253-1 26.9x2.3 *** P235GH ***	0,06	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 33.7x2.6 *** P235GH ***	0,12	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 42.4x2.6 *** P235GH ***	0,19	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 44.5x2.6 *** P235GH ***	0,22	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 48.3x2.6 *** P235GH ***	0,26	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 60,3 X 2,9 MM *** P235GH ***	0,49	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 76.1x2.9 *** P235GH ***	0,78	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 88,9 X 3,2 *** P235GH ***	1,21	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 114,3 X 3,6 *** P235GH ***	2,35	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 121x4 *** P235GH ***	3,08	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 127x4 *** P235GH ***	3,34	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 133x4 *** P235GH ***	3,62	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 139.7x4 *** P235GH ***	4,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 152.4x4.5 *** P235GH ***	5,54	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 159x4.5 *** P235GH ***	5,82	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 168.3x4.5 *** P235GH ***	6,54	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 177.8x5 *** P235GH ***	8,60	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 193.7x5.6 *** P235GH ***	11,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 219.1x6.3 *** P235GH ***	15,80	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 244.5x6.3 *** P235GH ***	19,80	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 267x6.3 *** P235GH ***	24,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 273x6.3 *** P235GH ***	24,80	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 323.9x7.1 *** P235GH ***	39,80	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 355.6x8 *** P235GH ***	57,40	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 406.4x8.8 *** P235GH ***	82,70	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 419x10 *** P235GH ***	133,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 457x10 *** P235GH ***	142,00	*
Ndl. stalen lasbocht 3S-90° -EN10253-1 - P235GH 508x11 *** P235GH ***	161,00	*

Lasbochten

Dikwandige lasbochten 3S 90° -EN 10253-1

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Dikwandige lasbochten 3S 90° -EN 10253-1 21.3x2.65	0,05	*
Dikwandige lasbochten 3S 90° -EN 10253-1 21.3x3.25	0,06	*
Dikwandige lasbochten 3S 90° -EN 10253-1 21.3x3.6	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 26.9x2.6 - P235GH	0,07	*
Dikwandige lasbochten 3S 90° -EN 10253-1 26.9x3.25	0,08	*
Dikwandige lasbochten 3S 90° -EN 10253-1 33.7x3.2 - P235GH	0,14	*
Dikwandige lasbochten 3S 90° -EN 10253-1 33.7x4.05	0,17	*
Dikwandige lasbochten 3S 90° -EN 10253-1 42.4x3.25	0,23	*
Dikwandige lasbochten 3S 90° -EN 10253-1 42.4x4.05	0,28	*
Dikwandige lasbochten 3S 90° -EN 10253-1 48,3x3,2 - P235GH	0,36	*
Dikwandige lasbochten 3S 90° -EN 10253-1 48.3x3.65	0,36	*
Dikwandige lasbochten 3S 90° -EN 10253-1 48.3x4.05	0,39	*
Dikwandige lasbochten 3S 90° -EN 10253-1 60,3x3,2	0,60	*
Dikwandige lasbochten 3S 90° -EN 10253-1 60.3x3.6	0,60	*
Dikwandige lasbochten 3S 90° -EN 10253-1 60,3x4 - P235GH	0,60	*
Dikwandige lasbochten 3S 90° -EN 10253-1 60.3x4.5	0,74	*
Dikwandige Lasbochten 3S 90° -EN 10253-1 76.1x3.6 - P235GH	0,96	*
Dikwandige lasbochten 3S 90° -EN 10253-1 76.1x4.0	1,06	*
Dikwandige lasbochten 3S 90° -EN 10253-1 76.1x4.5	1,19	147,28
Dikwandige lasbochten 3S 90° -EN 10253-1 76.1x6.3	1,62	147,28
Dikwandige Lasbochten 3S 90° -EN 10253-1 88.9x4.0 - P235GH	1,51	*
Dikwandige lasbochten 3S 90° -EN 10253-1 88,9x4,5mm - P235GH	1,51	*
Dikwandige lasbochten 3S 90° -EN 10253-1 88.9x4.85	1,86	*
Dikwandige lasbochten 3S 90° -EN 10253-1 101.6x6	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 108x6.3	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 114.3x4.5	4,21	*
Dikwandige lasbochten 3S 90° -EN 10253-1 114.3x5.6	3,60	*
Dikwandige lasbochten 3S 90° -EN 10253-1 114.3x6.3	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 114.3x8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 114.3x8.8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 114.3x10	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 133x6.3	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 139.7x5.6	5,54	*
Dikwandige lasbochten 3S 90° -EN 10253-1 139.7x6.3	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 139.7x6.5	0,00	414,94

Artikel	KG per Stuks	Bruto prijs per ST
Dikwandige lasbochten 3S 90° -EN 10253-1 139.7x7.1	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 139.7x8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 139.7x10	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 168.3x5.6	8,06	*
Dikwandige lasbochten 3S 90° -EN 10253-1 168.3x6.3	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 168.3x7.1	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 168.3x8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 168.3x11	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 168.3x12.5	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 193.7x8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 193.7x10	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 219.1x8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 219.1x10	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 219.1x12.5	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 273x8.8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 273x10	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 273x12.5	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 323.9x8.8	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 323.9x10	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 355.6x12.5	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 355.6x20	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 406.4x12.5	0,10	*
Dikwandige lasbochten 3S 90° -EN 10253-1 508x12.5	0,10	*

Lasbochten

Naadloze stalen lasbocht 3S-180° -EN10253-1

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Naadloze stalen lasbocht 3S-180° -EN10253-1 21.3x2	0,08	41,21
Naadloze stalen lasbocht 3S-180° -EN10253-1 26.9x2.3	0,12	41,21
Naadloze stalen lasbocht 3S-180° -EN10253-1 33.7x2.6	0,24	45,40
Naadloze stalen lasbocht 3S-180° -EN10253-1 42.4x2.6	0,38	52,83
Naadloze stalen lasbocht 3S-180° -EN10253-1 48.3x2.6	0,52	66,00
Naadloze stalen lasbocht 3S-180° -EN10253-1 60.3x2.9	0,98	100,14
Naadloze stalen lasbocht 3S-180° -EN10253-1 70x2.9	1,40	194,17
Naadloze stalen lasbocht 3S-180° -EN10253-1 76.1x2.9	1,56	144,60
Naadloze stalen lasbocht 3S-180° -EN10253-1 82,5x3,2	2,12	*
Naadloze stalen lasbocht 3S-180° -EN10253-1 88.9x3.2	2,42	209,63
Naadloze stalen lasbocht 3S-180° -EN10253-1 101.6x3.6	3,66	339,05
Naadloze stalen lasbocht 3S-180° -EN10253-1 108x3.6	4,16	353,90
Naadloze stalen lasbocht 3S-180° -EN10253-1 127x4	6,68	*
Naadloze stalen lasbocht 3S-180° -EN10253-1 114.3x3.6	4,70	369,64
Naadloze stalen lasbocht 3S-180° -EN10253-1 133x4	7,24	609,82
Naadloze stalen lasbocht 3S-180° -EN10253-1 139.7x4	8,00	665,21
Naadloze stalen lasbocht 3S-180° -EN10253-1 159x4.5	11,64	881,93
Naadloze stalen lasbocht 3S-180° -EN10253-1 168.3x4.5	13,08	950,53
Naadloze stalen lasbocht 3S-180° -EN10253-1 219.1x6.3	31,60	2.065,88

Lasbochten

Naadloze stalen lasbocht 5S-90° -EN10253-1

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Naadloze stalen lasbocht 5S-90° -EN10253-1 21.3x2 *** 5S 90 graden ***	0,07	21,81
Naadloze stalen lasbocht 5S-90° -EN10253-1 26.9x2.3 *** 5S 90 graden ***	0,13	30,50
Naadloze stalen lasbocht 5S-90° -EN10253-1 31.8x2.6 *** 5S 90 graden ***	0,20	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 33.7x2.6 *** 5S 90 graden ***	0,23	34,17
Naadloze stalen lasbocht 5S-90° -EN10253-1 38x2.6 *** 5S 90 graden ***	0,30	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 42.4x2.6 *** 5S 90 graden ***	0,37	39,00
Naadloze stalen lasbocht 5S-90° -EN10253-1 44.5x2.6 *** 5S 90 graden ***	0,41	46,35
Naadloze stalen lasbocht 5S-90° -EN10253-1 48.3x2.6 *** 5S 90 graden ***	0,50	47,72
Naadloze stalen lasbocht 5S-90° -EN10253-1 51x2.6 *** 5S 90 graden ***	0,56	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 57x2.9 *** 5S 90 graden ***	0,78	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 60.3x2.9 *** 5S 90 graden ***	0,87	52,77
Naadloze stalen lasbocht 5S-90° -EN10253-1 70x2.9 *** 5S 90 graden ***	1,21	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 76.1x2.9 *** 5S 90 graden ***	1,44	70,19
Naadloze stalen lasbocht 5S-90° -EN10253-1 88.9x3.2 *** 5S 90 graden ***	2,18	107,84
Naadloze stalen lasbocht 5S-90° -EN10253-1 101.6x3.6 *** 5S 90 graden ***	3,25	177,30
Naadloze stalen lasbocht 5S-90° -EN10253-1 108x3.6 *** 5S 90 graden ***	3,68	263,82
Naadloze stalen lasbocht 5S-90° -EN10253-1 114.3x3.6 *** 5S 90 graden ***	4,17	197,28
Naadloze stalen lasbocht 5S-90° -EN10253-1 127x4 *** 5S 90 graden ***	0,00	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 133x4 *** 5S 90 graden ***	6,25	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 139.7x4 *** 5S 90 graden ***	6,94	409,12
Naadloze stalen lasbocht 5S-90° -EN10253-1 159x4.5 *** 5S 90 graden ***	10,01	442,09
Naadloze stalen lasbocht 5S-90° -EN10253-1 168.3x4.5 *** 5S 90 graden ***	11,10	464,59
Naadloze stalen lasbocht 5S-90° -EN10253-1 193.7x5.6 *** 5S 90 graden ***	18,50	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 219.1x6.3 *** 5S 90 graden ***	26,50	1.321,40
Naadloze stalen lasbocht 5S-90° -EN10253-1 244.5x6.3 *** 5S 90 graden ***	33,50	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 267x6.3 *** 5S 90 graden ***	40,50	*
Naadloze stalen lasbocht 5S-90° -EN10253-1 273x6.3 *** 5S 90 graden ***	41,50	2.003,72
Naadloze stalen lasbocht 5S-90° -EN10253-1 323.9x7.1 *** 5S 90 graden ***	67,50	2.540,03

Lasbochten

Naadloze stalen lasbocht 5S-180° -EN10253-1

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Naadloze stalen lasbocht 5S-180° -EN10253-1 26.9 X 2.3 *** 5S 180 graden ***	0,26	103,74
Naadloze stalen lasbocht 5S-180° -EN10253-1 33.7 X 2.6 *** 5S 180 graden ***	0,46	112,36
Naadloze stalen lasbocht 5S-180° -EN10253-1 42.4 X 2.6 (gelast) *** 5S 180 graden ***	0,74	132,96
Naadloze stalen lasbocht 5S-180° -EN10253-1 48.3 X 2.6 *** 5S 180 graden ***	1,00	140,39
Naadloze stalen lasbocht 5S-180° -EN10253-1 60.3 X 2.9 *** 5S 180 graden ***	1,74	213,49
Naadloze stalen lasbocht 5S-180° -EN10253-1 76.1 X 2.9 *** 5S 180 graden ***	2,88	315,85
Naadloze stalen lasbocht 5S-180° -EN10253-1 88.9 X 3.2 *** 5S 180 graden ***	4,36	473,01
Naadloze stalen lasbocht 5S-180° -EN10253-1 114.3 X 3.6 *** 5S 180 graden ***	8,34	976,25
Naadloze stalen lasbocht 5S-180° -EN10253-1 139.7 X 4.0 *** 5S 180 graden ***	13,88	1.491,13
Naadloze stalen lasbocht 5S-180° -EN10253-1 168.3 X 4.5 *** 5S 180 graden ***	22,20	2.262,98
Naadloze stalen lasbocht 5S-180° -EN10253-1 219.1 X 6.3 *** 5S 180 graden ***	53,00	3.996,23
Naadloze stalen lasbocht 5S-180° -EN10253-1 273 X 6.3 *** 5S 180 graden ***	83,00	7.853,78