

# Inhoudsopgave

Sokken	2
Overschuifsok	2
Sok	3

# Sokken

## Overschuifsok

Geldig vanaf 3-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 15.0 mm	0,06	24,95
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 18.0 mm	0,07	25,23
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 22.0 mm	0,09	25,64
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 35.0 mm	0,15	38,46
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 42.0 mm	0,22	41,14
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 54.0 mm	0,31	47,02
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 76.1 mm	0,94	*
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 88.9 mm	1,24	*
RVS Sok Persfittingen M-type Overschuifsok, 1.4404, 108.0 mm	1,84	*

# Sokken

## Sok

Geldig vanaf 2-2-2026

Artikel	KG per Stuks	Bruto prijs per ST
RVS Sok Persfittingen M-type 1.4404, 15.0 mm	0,04	7,97
RVS Sok Persfittingen M-type 1.4404, 18.0 mm	0,04	8,58
RVS Sok Persfittingen M-type 1.4404, 22.0 mm	0,05	10,28
RVS Sok Persfittingen M-type 1.4404, 28.0 mm	0,07	12,44
RVS Sok Persfittingen M-type 1.4404, 35.0 mm	0,10	14,46
RVS Sok Persfittingen M-type 1.4404, 42.0 mm	0,14	18,66
RVS Sok Persfittingen M-type 1.4404, 54.0 mm	0,20	24,41
RVS Sok Persfittingen M-type 1.4404, 76.1 mm	0,64	*
RVS Sok Persfittingen M-type 1.4404, 88.9 mm	0,77	*
RVS Sok Persfittingen M-type 1.4404, 108.0 mm	1,17	*