

Inhoudsopgave

Astm Reducers	2
Conc.Reducer, Astm A234 Grade WPB, S40	2
Conc.Reducer, Astm A234 Grade WPB, S80	4
Conc.Reducer, Astm A234 Grade WPB, XS	6
Exc.Reducer, Astm A234 Grade WPB, S40	7
Exc.Reducer, Astm A234 Grade WPB, S80	9

Astm Reducers

Conc.Reducer, Astm A234 Grade WPB, S40

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S40 3/4 X 3/8"	0,09	37,71
Conc.Reducer, Astm A234 Grade WPB, S40 3/4 x 1/2"	0,09	26,10
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 3/8"	0,14	*
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 1/2"	0,14	43,12
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 3/4"	0,17	35,13
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4 x 1/2"	0,19	61,43
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 3/4"	0,20	33,37
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 1"	0,20	33,37
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1/2"	0,20	47,82
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 3/4	0,22	38,38
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1	0,24	35,30
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2"x 1" - Verzinkt	0,24	35,30
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1.1/4	0,26	35,30
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1/2"	0,41	*
Conc.Reducer, Astm A234 Grade WPB, S40 2x 3/4"	0,33	51,63
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1	0,37	35,40
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/4	0,39	35,40
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/2	0,41	35,40
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1	0,59	111,56
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/4	0,67	101,43
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/2	0,68	45,09
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 2	0,73	45,09
Conc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/4	0,77	63,49
Conc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/2	0,86	56,48
Conc.Reducer, Astm A234 Grade WPB, S40 3x 2	0,91	48,07
Conc.Reducer, Astm A234 Grade WPB, S40 3x 2.1/2	0,98	48,07
Conc.Reducer, Astm A234 Grade WPB, S40 4x 1.1/2	1,24	170,29
Conc.Reducer, Astm A234 Grade WPB, S40 4x 2	1,44	86,73
Conc.Reducer, Astm A234 Grade WPB, S40 4x 2.1/2	1,52	71,70
Conc.Reducer, Astm A234 Grade WPB, S40 4x 3	1,59	68,30
Conc.Reducer, Astm A234 Grade WPB, S40 5x 2	2,29	220,14
Conc.Reducer, Astm A234 Grade WPB, S40 5x 2.1/2	2,51	186,52
Conc.Reducer, Astm A234 Grade WPB, S40 5x 3	2,60	95,59
Conc.Reducer, Astm A234 Grade WPB, S40 5x 4	2,72	95,59
Conc.Reducer, Astm A234 Grade WPB, S40 6x 2"	0,01	247,88

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S40 6x 2.1/2	3,45	272,73
Conc.Reducer, Astm A234 Grade WPB, S40 6x 3	3,63	156,74
Conc.Reducer, Astm A234 Grade WPB, S40 6x 4	8,72	124,40
Conc.Reducer, Astm A234 Grade WPB, S40 6x 5	8,98	124,40
Conc.Reducer, Astm A234 Grade WPB, S40 8x 3	0,00	384,25
Conc.Reducer, Astm A234 Grade WPB, S40 8x 4	5,95	254,96
Conc.Reducer, Astm A234 Grade WPB, S40 8x 5	6,08	235,16
Conc.Reducer, Astm A234 Grade WPB, S40 8x 6	6,31	208,17
Conc.Reducer, Astm A234 Grade WPB, S40 10x 4	9,58	669,38
Conc.Reducer, Astm A234 Grade WPB, S40 10x 5	9,90	513,90
Conc.Reducer, Astm A234 Grade WPB, S40 10x 6	10,10	344,90
Conc.Reducer, Astm A234 Grade WPB, S40 10x 8	10,50	338,06
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 5" 323.85(x10.31) X 141.30 (x6.55)	13,80	*
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 6" 323.85(x10.31) X 168.28(x7.11)	14,10	*
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 8" 323.85(x10.31) X 219.08(x8.18)	14,60	498,33
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 10" 323.85(x10.31) X 273.05(x9.27)	15,20	645,40
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 6" 355.60(x11.13) X 168.28(x7.11)	25,30	1.488,27
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 8" 355.60(x11.13) X 219.08(x8.18)	26,00	1.119,63
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 10" 355.60(x11.13) X 273.05(x9.27)	27,40	947,65
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 12" 355.60(x11.13) X 323.85(x10.31)	28,80	897,99
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 8" 406.40(x12.70) X 219.08(x8.18)	31,90	*
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 10" 406.40(x12.70) X 273.05(x9.27)	33,10	1.465,42
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 12" 406.40(x12.70) X 323.85(x10.31)	34,30	1.349,65
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 14" 406.40(x12.70) X 355.60(x11.13)	35,20	1.195,99
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 10" 457.20(x14.27) X 273.05(x9.27)	39,40	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 12" 457.20(x14.27) X 323.85(x10.31)	40,50	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 14" 457.20(x14.27) X 355.60(x11.13)	41,30	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 16" 457.20(x14.27) X 406.40(x12.70)	42,70	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 12" 508.00(x15.06) X 323.85(x10.31)	60,80	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 14" 508.00(x15.06) X 355.60(x11.13)	61,30	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 16" 508.00(x15.06) X 406.40(x12.70)	62,60	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 18" 508.00(x15.06) X 457.20(x14.27)	69,90	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 16" 609.60(x17.45) X 406.40(x12.70)	72,60	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 18" 609.60(x17.45) X 457.20(x14.27)	74,00	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 20" 609.60(x17.45) X 508.00(x15.06)	75,80	*

Astm Reducers

Conc.Reducer, Astm A234 Grade WPB, S80

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S80 3/4x 3/8	0,11	*
Conc.Reducer, Astm A234 Grade WPB, S80 3/4x 1/2	0,12	44,99
Conc.Reducer, Astm A234 Grade WPB, S80 1x 3/8	0,15	*
Conc.Reducer, Astm A234 Grade WPB, S80 1x 1/2	0,16	44,99
Conc.Reducer, Astm A234 Grade WPB, S80 1x 3/4	0,17	44,99
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1/2	0,22	76,58
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 3/4	0,23	46,52
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1	0,24	46,52
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1/2	0,28	64,52
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 3/4	0,27	58,09
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1	0,31	52,41
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1.1/4	0,33	52,41
Conc.Reducer, Astm A234 Grade WPB, S80 2x 3/4	0,46	66,50
Conc.Reducer, Astm A234 Grade WPB, S80 2x 1 ASTM	0,45	48,51
Conc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/4	0,53	48,51
Conc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/2	0,54	48,51
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1	0,79	174,17
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/4	0,78	160,76
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/2	0,86	70,44
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 2	0,94	65,24
Conc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/4	1,04	94,85
Conc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/2	0,99	72,30
Conc.Reducer, Astm A234 Grade WPB, S80 3x 2	1,18	72,30
Conc.Reducer, Astm A234 Grade WPB, S80 3x 2.1/2	1,29	72,30
Conc.Reducer, Astm A234 Grade WPB, S80 4x 1.1/2	1,73	326,45
Conc.Reducer, Astm A234 Grade WPB, S80 4x 2	1,78	107,57
Conc.Reducer, Astm A234 Grade WPB, S80 4x 2.1/2	2,01	96,41
Conc.Reducer, Astm A234 Grade WPB, S80 4x 3	2,13	96,41
Conc.Reducer, Astm A234 Grade WPB, S80 5x 2	3,00	322,17
Conc.Reducer, Astm A234 Grade WPB, S80 5x 2.1/2	3,30	290,99
Conc.Reducer, Astm A234 Grade WPB, S80 5x 3	3,55	192,63
Conc.Reducer, Astm A234 Grade WPB, S80 5x 4	3,78	152,15
Conc.Reducer, Astm A234 Grade WPB, S80 6x2	0,01	601,01
Conc.Reducer, Astm A234 Grade WPB, S80 6x2.1/2	4,52	564,34
Conc.Reducer, Astm A234 Grade WPB, S80 6x 3	5,04	207,53

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S80 6x 4	5,45	183,62
Conc.Reducer, Astm A234 Grade WPB, S80 6x 5	5,72	183,62
Conc.Reducer, Astm A234 Grade WPB, S80 8x 3	0,00	393,40
Conc.Reducer, Astm A234 Grade WPB, S80 8x 4	8,44	377,49
Conc.Reducer, Astm A234 Grade WPB, S80 8x 5	8,85	431,05
Conc.Reducer, Astm A234 Grade WPB, S80 8x 6	9,26	353,66
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05 (x 15.06) x 114.30 (x 8.56)	11,50	1.113,62
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53)	13,00	866,10
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97)	13,50	505,32
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70)	14,20	474,77
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85x(17.45) X 141.30(x9.53)	17,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97)	18,40	984,45
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70)	17,00	736,40
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06)	19,80	715,18
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97)	33,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70)	34,90	*
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06)	36,10	*
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45)	37,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70)	42,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06)	43,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45)	45,00	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05)	46,30	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06)	51,80	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45)	53,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05)	54,50	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41)	55,80	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45)	79,90	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05)	81,30	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41)	82,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80)	91,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05)	88,50	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41)	89,90	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 457.20(x23.80)	91,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 20" 558.80(x28.57) X 508.00(x26.19)	94,00	*
Conc.Reducer, Astm A234 Grade WPB, S80 24 X 16" 609.60(x30.94) X 406.40(x21.41)	95,80	*
Conc.Reducer, Astm A234 Grade WPB, S80 24 X 18" 609.60(x30.94) X 457.20(x23.80)	97,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 24 X 20" 609.60(x30.94) X 508.00(x26.19)	99,90	*

Astm Reducers

Conc.Reducer, Astm A234 Grade WPB, XS

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, XS 10" x 8" - 273,05(x12,7) X 219,07(x12,7)	0,00	*
Conc.Reducer, Astm A234 Grade WPB, XS 14" x 12" - 355,60 (x12.70) X 323,85 (x 12,70)	37,70	*
Conc.Reducer, Astm A234 Grade WPB, XS 16" x 14" - 406,4(x12,7) X 355,6(x12,7)	0,00	*

Astm Reducers

Exc.Reducer, Astm A234 Grade WPB, S40

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S40 3/4x 3/8	0,09	*
Exc.Reducer, Astm A234 Grade WPB, S40 3/4x 1/2	0,09	60,59
Exc.Reducer, Astm A234 Grade WPB, S40 1x 3/8	0,14	*
Exc.Reducer, Astm A234 Grade WPB, S40 1x 1/2	0,14	60,59
Exc.Reducer, Astm A234 Grade WPB, S40 1x 3/4	0,17	60,59
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 1/2	0,19	65,37
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 3/4	0,20	54,77
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 1	0,20	61,12
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1/2	0,20	76,26
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 3/4	0,22	61,61
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1	0,24	53,03
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1.1/4	0,26	53,03
Exc.Reducer, Astm A234 Grade WPB, S40 2x 3/4	0,33	127,81
Exc.Reducer, Astm A234 Grade WPB, S40 2x 1	0,37	66,93
Exc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/4	0,39	66,93
Exc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/2	0,41	66,93
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1	0,59	114,07
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/4	0,67	95,80
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/2	0,68	68,62
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 2	0,73	68,62
Exc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/4	0,77	131,03
Exc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/2	0,86	93,10
Exc.Reducer, Astm A234 Grade WPB, S40 3x 2	0,91	71,56
Exc.Reducer, Astm A234 Grade WPB, S40 3x 2.1/2	0,98	71,56
Exc.Reducer, Astm A234 Grade WPB, S40 4x 1.1/2	1,24	210,12
Exc.Reducer, Astm A234 Grade WPB, S40 4x 2	1,44	133,61
Exc.Reducer, Astm A234 Grade WPB, S40 4x 2.1/2	1,52	133,61
Exc.Reducer, Astm A234 Grade WPB, S40 4x 3	1,59	92,56
Exc.Reducer, Astm A234 Grade WPB, S40 5x 2	2,29	223,37
Exc.Reducer, Astm A234 Grade WPB, S40 5x 2.1/2	2,51	200,58
Exc.Reducer, Astm A234 Grade WPB, S40 5x 3	2,60	188,46
Exc.Reducer, Astm A234 Grade WPB, S40 5x 4	2,72	172,67
Exc.Reducer, Astm A234 Grade WPB, S40 6x 2.1/2	3,45	332,56
Exc.Reducer, Astm A234 Grade WPB, S40 6x 3	3,63	200,40
Exc.Reducer, Astm A234 Grade WPB, S40 6x 4	8,72	191,00

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S40 6x 5	8,98	191,00
Exc.Reducer, Astm A234 Grade WPB, S40 8x 3.1/2	5,81	*
Exc.Reducer, Astm A234 Grade WPB, S40 8x 4	5,95	381,02
Exc.Reducer, Astm A234 Grade WPB, S40 8x 5	6,08	321,87
Exc.Reducer, Astm A234 Grade WPB, S40 8x 6	6,31	299,70
Exc.Reducer, Astm A234 Grade WPB, S40 10x 4	9,58	*
Exc.Reducer, Astm A234 Grade WPB, S40 10x 5	9,90	662,74
Exc.Reducer, Astm A234 Grade WPB, S40 10x 6	10,10	446,52
Exc.Reducer, Astm A234 Grade WPB, S40 10x 8	10,50	375,94
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 5" 323.85(x10.31) X 141.30(x6.55)	13,80	*
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 6" 323.85(x10.31) X 168.28(x7.11)	14,10	818,74
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 8" 323.85(x10.31) X 219.08(x8.18)	14,60	618,44
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 10" 323.85(x10.31) X 273.05(x9.27)	15,20	597,79
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 6" 355.60(x11.13) X 168.28(x7.11)	25,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 8" 355.60(x11.13) X 168.28(x7.11)	26,00	1.405,01
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 10" 355.60(x11.13) X 168.28(x7.11)	27,40	*
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 12" 355.60(x11.13) X 168.28(x7.11)	28,80	*
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 8" 406.40(x12.70) X 219.08(x8.18)	31,90	*
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 10" 406.40(x12.70) X 273.05(x9.27)	33,10	1.838,52
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 12" 406.40(x12.70) X 323.85(x10.31)	34,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 14" 406.40(x12.70) X 355.60(x11.13)	35,20	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 10" 457.20(x14.27) X 273.05(x9.27)	39,40	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 12" 457.20(x14.27) X 323.85(x10.31)	40,50	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 14" 457.20(x14.27) X 355.60(x11.13)	41,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 16" 457.20(x14.27) X 406.40(x12.70)	42,70	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 12" 508.00(x15.06) X 323.85(x10.31)	60,80	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 14" 508.00(x15.06) X 355.60(x11.13)	61,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 16" 508.00(x15.06) X 406.40(x12.70)	62,60	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 18" 508.00(x15.06) X 457.20(x14.27)	64,50	*
Exc.Reducer, Astm A234 Grade WPB, S40 24 X 16" 609.60(x17.45) X 406.40(x12.70)	72,60	*
Exc.Reducer, Astm A234 Grade WPB, S40 24 X 18" 609.60(x17.45) X 457.20(x14.27)	74,00	*
Exc.Reducer, Astm A234 Grade WPB, S40 24 X 20" 609.60(x17.45) X 508.00(x15.06)	75,80	*

Astm Reducers

Exc.Reducer, Astm A234 Grade WPB, S80

Geldig vanaf 17-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 3/4x 3/8	0,11	*
Exc.Reducer, Astm A234 Grade WPB, S80 3/4x 1/2	0,12	110,10
Exc.Reducer, Astm A234 Grade WPB, S80 1x 3/8	0,15	*
Exc.Reducer, Astm A234 Grade WPB, S80 1x 1/2	0,16	102,31
Exc.Reducer, Astm A234 Grade WPB, S80 1x 3/4	0,17	102,31
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1/2	0,22	114,19
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 3/4	0,23	104,86
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1	0,24	104,86
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1/2	0,28	119,20
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 3/4	0,23	108,92
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1	0,31	83,65
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1.1/4	0,33	83,65
Exc.Reducer, Astm A234 Grade WPB, S80 2x 3/4	0,46	128,86
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1	0,45	90,59
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/4	0,53	97,58
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/2	0,54	90,59
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1	0,79	165,94
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/4	0,78	145,74
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/2	0,86	114,59
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 2	0,94	114,59
Exc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/4	1,04	140,88
Exc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/2	0,99	134,86
Exc.Reducer, Astm A234 Grade WPB, S80 3x 2	1,18	106,09
Exc.Reducer, Astm A234 Grade WPB, S80 3x 2.1/2	1,29	114,59
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 1.1/4	1,49	*
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 1.1/2	1,43	*
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 2	1,61	236,54
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 2.1/2	1,75	206,84
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 3	1,85	200,09
Exc.Reducer, Astm A234 Grade WPB, S80 4x 1.1/2	1,73	289,25
Exc.Reducer, Astm A234 Grade WPB, S80 4x 2	1,78	174,30
Exc.Reducer, Astm A234 Grade WPB, S80 4x 2.1/2	2,01	188,14
Exc.Reducer, Astm A234 Grade WPB, S80 4x 3	2,13	125,20
Exc.Reducer, Astm A234 Grade WPB, S80 4x 3.1/2	2,21	*
Exc.Reducer, Astm A234 Grade WPB, S80 5x 2	3,00	516,24

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 5x 2.1/2	3,30	477,44
Exc.Reducer, Astm A234 Grade WPB, S80 5x 3	3,55	401,31
Exc.Reducer, Astm A234 Grade WPB, S80 5x 4	3,78	359,61
Exc.Reducer, Astm A234 Grade WPB, S80 6x 2.1/2	4,52	*
Exc.Reducer, Astm A234 Grade WPB, S80 6x 3	5,04	372,34
Exc.Reducer, Astm A234 Grade WPB, S80 6x 4	5,45	279,42
Exc.Reducer, Astm A234 Grade WPB, S80 6x 5	5,72	298,01
Exc.Reducer, Astm A234 Grade WPB, S80 8x 4	8,44	671,61
Exc.Reducer, Astm A234 Grade WPB, S80 8x 5	8,85	671,61
Exc.Reducer, Astm A234 Grade WPB, S80 8x 6	9,26	503,83
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56)	11,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53)	13,00	1.197,40
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97)	13,50	860,71
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70)	14,20	778,21
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53)	17,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97)	18,40	*
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70)	17,00	917,56
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06)	19,80	851,29
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97)	33,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70)	34,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06)	36,10	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45)	37,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70)	42,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06)	43,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45)	45,00	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05)	46,30	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06)	51,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45)	53,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05)	54,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41)	55,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45)	79,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05)	81,30	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41)	82,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80)	84,40	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05)	88,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41)	89,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41)	91,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 20" 558.80(x28.57) X 508.00(x26.19)	94,00	*

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 16" 609.60(x30.94) X 406.40(x21.41)	95,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 18" 609.60(x30.94) X 457.20(x23.80)	97,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 20" 609.60(x30.94) X 508.00(x26.19)	99,90	*