

Inhoudsopgave

Koppelingen	2
Koppeling Vlak Press/Bi	2
Koppeling Vlak Press/Bu	3
Koppeling Vlak Press/Press	4

Koppelingen

Koppeling Vlak Press/Bi

Geldig vanaf 3-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 15.0 mm x 1/2"	0,07	46,61
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 15,0 mm x 3/4"	0,07	38,97
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 18,0 mm x 3/4"	0,07	42,88
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 22.0 mm x 1"	0,08	56,99
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 28.0 mm x 1 1/4"	0,14	*
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 35,0 mm x 1 1/2"	0,18	109,77
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 42.0 mm x 2"	0,27	*
RVS Koppeling vlak Persfittingen M-type press/Bi, 1.4404, 54.0 mm x 2"	0,51	*

Koppelingen

Koppeling Vlak Press/Bu

Geldig vanaf 3-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 15.0 mm x 1/2"	0,18	48,59
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 15.0 mm x 3/4"	0,15	*
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 18.0 mm x 1/2"	0,19	53,50
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 18.0 mm x 3/4"	0,18	*
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 22.0 mm x 1"	0,36	*
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 22.0 mm x 1/2"	0,26	*
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 22.0 mm x 3/4"	0,28	57,05
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 28.0 mm x 1"	0,47	95,87
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 35.0 mm x 1.1/4"	0,45	122,17
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 42.0 mm x 1.1/2"	0,93	153,67
RVS Koppeling vlak Persfittingen M-type press/BU, 1.4404, 54.0 mm x 2"	1,07	244,17

Koppelingen

Koppeling Vlak Press/Press

Geldig vanaf 12-3-2026

Artikel	KG per Stuks	Bruto prijs per ST
RVS Koppeling vlak Persfittingen M-type press/press, 1.4404, 15.0 mm	0,19	61,14
RVS Koppeling vlak Persfittingen M-type press/press, 1.4404, 18.0 mm	0,19	64,47
RVS Koppeling vlak Persfittingen M-type press/press, 1.4404, 22.0 mm	0,36	85,71
RVS Koppeling vlak Persfittingen M-type press/press, 1.4404, 28.0 mm	0,47	97,60
RVS Koppeling vlak Persfittingen M-type press/press, 1.4404, 35.0 mm	0,54	131,42
RVS Koppeling vlak Persfittingen M-type press/press, 1.4404, 42.0 mm	0,93	216,60
RVS Koppeling vlak Persfittingen M-type press/press, 1.4404, 54.0 mm	1,07	256,12